

Made for general use, no need of professional electronic training or knowledge

Model: SH-055U7L

Superior sensitivity RF Bug Detector + Plug-in Lens Finder

This model is the newest top quality portable RF bug detector. It can be used to detect and locate hidden transmitters (bugs) in your home, office, or car, and also wireless spy cameras, cellular phones and other radio frequency devices.

SH-055U7L performs a professional RF sweep of your premises. Designed with the latest in microchip countermeasure technology, it has an operational range of 50 MHz to 6.0 GHz. This state-of-the-art unit has features that normally reserved for bigger more pricey units.

Specially designed for easy and simple use, this device does not require complicated installation or any professional knowledge.

Find bug in silent place

There are many audio receivers in market; they can receive and demodulate audio signals to acoustic display in more than 5 meters away. But those receivers are useless if none talks in the scanning place.

SH-055U7L is a superior sensitivity detector; it can detect all radio frequency signals between 50 MHz and 6.0 GHz. It can catch the hidden transmitter (bug), no matter there are people in talk or not.

Find signal source of bug

All the audio receivers can display the voice in more than 5 meters away if there is a bug and has people in talk, but could not help you to find where the bug is.

SH-055U7L has a sensitivity tuner. When detecting the signal, you can lower the sensitivity a little and a little, and then approach gradually to find the signal source.

Unique acoustic display

Some companies supply bug detector, but none of them has acoustic display. They are just signal detectors for lower frequency band.

SH-055U7L has three kinds of warning mode for selection: Sound, Acoustic and Vibration. After detected signals, set the switch at Acoustic to hear and check the signal. SH-055U7L will display the voice if it receives audio signal.



Not only a bug detector

SH-055U7L is not only good at detecting bug, but also has excellent ability in the operational range of 50 MHz to 6.0 GHz. It can catch all kinds of wireless spy camera and detect mobile phone signal.

No interference with radio station

The audio receivers have good ability in audio signal, so you will hear a lot of radio station programs during your scan. Those audio receivers seem high priced radio. It makes your scan annoying and complicated, you will miss the real bug signal easily.


SH-055U7L will not mistake the radio station signal for bug signal. The radio station programs will not distract you from your scan job.

Battery low warning

SH-055U7L has built-in rechargeable battery pack. After full charge, the battery power can last 2 days for continuous use. When the battery runs down, the very right LED will go red to notify the user.

WIRED CAMERA DETECTION

1. Attach the Lens finder on SH-055U7L by inserting the plugs into the 2 sockets in the left bottom side of SH-055U7L.
2. Press down the On / Off switch of Lens finder, the 8 ultra-bright lights start blinking. Point the light beam towards the suspected area and scan slowly to check the reflection of illuminated light.



3. Look through the viewfinder, it is more easily to identify the camera lens. This lens finder also can uncover a hidden wireless camera even the camera is turned off.



Specification * specification may change without prior notice.

Detecting range	50 MHz ~ 6.0 GHz	
Dimension	L 14 x W 7 x T 2.5 cm	
Weight	About 220g	
Power	<ol style="list-style-type: none"> 12V DC switching power adaptor Built-in rechargeable battery pack 	
Warning mode	<ol style="list-style-type: none"> LED indication Beep alarm sound Acoustic display Vibration Earphone silent detection 	
Sensitivity Tuner	<ol style="list-style-type: none"> Adjust detecting distance to find signal source Eliminate the environment interference 	
Detecting Distance	Wireless bug (2mW)	up to 20 feet (beep)
		up to 10 feet (acoustic)
	10mW 2.4GHz Wireless camera	up to 8 feet
	10mW 1.2GHz Wireless camera	up to 12 feet
	Cellular phone	up to 35 feet

* The detecting distance of wireless bug and mobile phone will be varied depending on the signal strength.

Siangsiu Industrial Corp. / Suresafe Technology Inc.

11F-1, No. 29, Sec. 3, Roosevelt Road, Taipei, Taiwan 106

Tel: (886 2) 23626787 Fax: (886 2) 23625057

Email: siangsiu@ms3.hinet.net, suresafetw@yahoo.com

Web: www.suresafe.com.tw